

## STANDARD FEATURES


- WMS model include 18GA 430 S/S legs and brackets.
- STRS models include 16GA 430 S/S brackets and 18GA S/S 1-5/8" dia. tubing.
- TWS models include 16GA 430 S/S brackets and 18GA S/S 1-5/8" dia. tubing.
- WS models include 18GA 430 S/S shelf and brackets.
- SW models include 0.187" plate bar 304 S/S.
- DOS models include 18GA 430 double tier over shelf S/S legs, sockets and brackets.
- NSF approved.




STAINLESS STEEL

MODEL	SHELF SIZE	TOP / TUBING	LEGS / SOCKET	BRACKET
<b>WMS2424</b>	24"X24"	18GA 430 S/S	N/A	S/S
<b>STRS22</b>	16"X22"	18GA 1-5/8" S/S	N/A	S/S
<b>STRS42</b>	16"X42"	18GA 1-5/8" S/S	N/A	S/S
<b>TWS1236</b>	12"X36"	18GA 1-5/8" S/S	N/A	S/S
<b>TWS1248</b>	12"X48"	18GA 1-5/8" S/S	N/A	S/S
<b>TWS1260</b>	12"X60"	18GA 1-5/8" S/S	N/A	S/S
<b>WS1224</b>	12"X24"	18GA 430 S/S	N/A	S/S
<b>WS1236</b>	12"X36"	18GA 430 S/S	N/A	S/S
<b>WS1248</b>	12"X48"	18GA 430 S/S	N/A	S/S
<b>WS1260</b>	12"X60"	18GA 430 S/S	N/A	S/S
<b>WS1272</b>	12"X72"	18GA 430 S/S	N/A	S/S
<b>SW24</b>	2"X24"	0.187" 304 S/S	N/A	N/A
<b>SW36</b>	2"X36"	0.187" 304 S/S	N/A	N/A
<b>SW48</b>	2"X48"	0.187" 304 S/S	N/A	N/A
<b>SW60</b>	2"X60"	0.187" 304 S/S	N/A	N/A
<b>DOS1248</b>	12"X48"	18GA 430 S/S	S/S	S/S
<b>DOS1260</b>	12"X60"	18GA 430 S/S	S/S	S/S
<b>DOS1272</b>	12"X72"	18GA 430 S/S	S/S	S/S
<b>DOS1296</b>	12"X96"	18GA 430 S/S	S/S	S/S

DIMENSIONS/MODEL	VIODOS1248	VIODOS1260	VIODOS1272	VIODOS1296
A	48"	60"	72"	96"
B	12"	12"	12"	12"




VIODOS1272



STAINLESS STEEL


DIMENSIONS/MODEL	VIOSW24	VIOSW36	VIOSW48	VIOSW60
A	24"	36"	48"	60"





VIOSW36




DIMENSIONS/MODEL	VIOWS1224	VIOWS1236	VIOWS1248	VIOWS1260	VIOWS1272
A	24"	36"	48"	60"	72"
B	12"	12"	12"	12"	12"





VIOWS1248




DIMENSIONS/MODEL	VIOWMS2424
A	24"
B	24"



VIOWMS2424





STAINLESS STEEL




VIOSTRS2242

DIMENSIONS/MODEL	VIOSTRS2242
A	42"
B	22"


**STAINLESS STEEL**

DIMENSIONS/MODEL	VIOTWS1236	VIOTWS1248	VIOTWS1260
A	36"	48"	60"
B	12"	12"	12"



VIOTWS1260

